

Safety Data Sheet

Heptane, (n-), 99%

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Heptane, (n-), 99% HPLC, ACS

Synonyms/Generic Names: Dipropyl methane; Heptyl hydride

Product Number: CP-C8342, CP-E8342, CP-C8343, 2499

Product Use: Industrial, Manufacturing or Laboratory use

Manufacturer: ChemPure Brand Chemicals

39103 Warren Road Westland, MI 48185

For More Information Call: 734-729-1805 (Monday-Friday 8:00-4:30)

In Case of Emergency Call: CHEMTREC - 800-424-9300 or 703-527-3887 (24 Hours/Day, 7 Days/Week)

2. HAZARDS IDENTIFICATION

OSHA Hazards: Flammable liquid, Irritant, Target organ effect

Target Organs: Central nervous system, Heart, Lungs, Ears

Signal Word: Danger Pictograms:









GHS Classification:

Flammable liquids	Category 2
Skin irritation	Category 2
Specific target organ toxicity-single exposure	Category 3
Aspiration hazard	Category 1
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

GHS Label Elements, including precautionary statements:

Hazard Statements:

H225	Highly flammable liquid and vapor.		
H304	May be fatal if swallowed and enters airways.		
H315	Causes skin irritation.		

Revised on 11/05/2021 Page 1 of 7

H336	May cause drowsiness or dizziness.	
H410	Very toxic to aquatic life with long lasting effects.	

Precautionary Statements:

P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.		
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.		
P273	Avoid release to the environment.		
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.		
P331	Do NOT induce vomiting.		
P501	Dispose of contents/ container to an approved waste disposal plant.		

Potential Health Effects

Eyes	Causes eye irritation.		
Inhalation	May be harmful if inhaled. Causes respiratory tract irritation. Vapors may cause		
	drowsiness and dizziness		
Skin	May be harmful if absorbed through skin. Causes skin irritation.		
Ingestion	May be harmful if swallowed. Aspiration hazard if swallowed - can enter lungs and cause		
	damage.		

NFPA Ratings

Health	1	
Flammability	3	
Reactivity	0	
Specific hazard	Not Available	

HMIS Ratings

Health	1
Fire	3
Reactivity	0
Personal	1

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS#	EINECS# / ELINCS#	Formula	Molecular Weight
Heptane (n-)	100	142-82-5	205-563-8	C7H16	100.20 g/mol

4. FIRST-AID MEASURES

Eyes	In case of eye contact, rinse with plenty of water and seek medical attention.		
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not		
	breathing, give artificial respiration. Get medical attention immediately.		
Skin	Immediately flush with plenty of water for at least 15 minutes while removing contaminated		
	clothing and wash using soap. Get medical attention.		
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If		
	conscious, wash out mouth with water. Get medical attention.		

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) Product is highly flammable. Use appropriate media for adjacent		
extinguishing media	Cool containers with water.	
Special protective equipment	Wear self-contained, approved breathing apparatus and full protective	
and precautions for firefighters	s clothing, including eye protection and boots.	
Specific hazards arising from	Emits toxic fumes (carbon oxides) under fire conditions. (See also	
the chemical	Stability and Reactivity section).	

Revised on 11/05/2021 Page 2 of 7

6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	See section 8 for recommendations on the use of personal protective
protective equipment and	equipment.
emergency procedures	
Environmental precautions	Prevent spillage from entering drains. Any release to the environment
	may be subject to federal/national or local reporting requirements.
Methods and materials for	Neutralize spill with sodium bicarbonate or lime. Absorb spill with
containment and cleaning up	noncombustible absorbent material, then place in a suitable container for
	disposal. Clean surfaces thoroughly with water to remove residual
	contamination. Dispose of all waste and cleanup materials in accordance
	with regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid formation of aerosols.

Conditions for safe storage, including any incompatibilities

Store in cool, dry well ventilated area. Avoid all sources of ignition. Keep away from incompatible materials (see section 10 for incompatibilities).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls:

Component	Exposure Limits	Basis	Entity
Heptane (n-)	400 ppm 1640 mg/m ³	TLV	ACGIH
	500 ppm 2050 mg/m ³	STEL	ACGIH
	500 ppm 2000 mg/m ³	PEL	OSHA
	85 ppm 350 mg/m ³	REL	NIOSH
	440 ppm 1800 mg/m ³	STEL	NIOSH

TWA: Time Weighted Average over 8 hours of work. TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

Revised on 11/05/2021 Page 3 of 7

Personal Protection

Eyes	Wear chemical safety glasses or goggles.	
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an	
	approved respirator.	
Skin	Wear nitrile or rubber gloves, apron or lab coat.	
Other	Use non-spark equipment.	

Other Recommendations

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Clear, colorless liquid.
Odor	Hydrocarbon, gasoline-like.
Odor threshold	150 ppm
рН	Not Available
Melting point/freezing point	-90.7°C (-131.3°F)
Initial boiling point and boiling range	98.4 (209.1°F)
Flash point	CLOSED CUP: -4°C (24.8°F).
	OPEN CUP: -1.1111°C (30°F)
Evaporation rate	Not Available
Flammability (solid, gas)	Flammable
Upper/lower flammability or explosive limit	LOWER: 1.05% UPPER: 6.7%
Vapor pressure	110.7 hPa (83 mmHg) at 37°C (100°F)
	53.3 hPa (40 mmHg) at 20°C (68°F)
Vapor density	3.5 (Air = 1)
Density	0.6838 (Water = 1)
Solubility (ies)	Soluble in diethyl ether, acetone. Insoluble in cold
	water. Soluble in alcohol. Solubility in chloroform,
	petroleum ether, ether, acetone: >10%.
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	223°C (433.4°F)
Decomposition temperature	Not Available

10. STABILITY AND REACTIVITY

Chemical Stability	Stable
Possibility of Hazardous Reactions	Will not occur.
Conditions to Avoid	Heat, flames, sparks. Temperature extremes and direct sunlight.
Incompatible Materials	Strong oxidizing agents.
Hazardous Decomposition Products	Carbon oxides.

Revised on 11/05/2021 Page 4 of 7

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Skin	Not Available	
Eyes	Not Available	
Respiratory	LC50 Inhalation - rat - 4 h - 103,000 mg/m3	
Ingestion	Not Available	

Carcinogenicity

	- 7
IARC	No components of this product present at levels greater than or equal to 0.1% is identified
	as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No components of this product present at levels greater than or equal to 0.1% is identified
	as a carcinogen or potential carcinogen by ACGIH.
NTP	No components of this product present at levels greater than or equal to 0.1% is identified
	as a known or anticipated carcinogen by NTP.
OSHA	No components of this product present at levels greater than or equal to 0.1% is identified
	as a carcinogen or potential carcinogen by OSHA.

Signs & Symptoms of Exposure

Skin	Irritation, redness, itchiness.
Eyes	Irritation, redness, watering eyes, itchiness.
Respiratory	Irritation, coughing, wheezing, headache, nausea, dizziness, hilarity, hallucinations, lightheadedness, distorted perceptions, convulsions, weakness. Aspiration into the lungs can produce chemical pneumonitis.
Ingestion	Gastrointestinal tract irritation with nausea, vomiting, swelling of the abdomen

Chronic Toxicity	Not Available
Teratogenicity	Not Available
Mutagenicity	Not Available
Embryotoxicity	Not Available
Specific Target Organ Toxicity	May cause drowsiness or dizziness.
Reproductive Toxicity	Not Available
Respiratory/Skin Sensitization	May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Aquatic Vertebrate	LC50 - Carassius auratus (goldfish) - 4 mg/l - 24.0 h	
	LC50 - Tilapia mossambica - 375 mg/l - 96.0 h	
Aquatic Invertebrate	ebrate EC50 - Daphnia magna (Water flea) - 1.50 mg/l - 48 h	
Terrestrial	Not Available	

Persistence and Degradability	Not Available
Bioaccumulative Potential	Not Available
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Very toxic to aquatic life with long lasting effects.
	Do not empty into drains. Avoid release to the environment.

Revised on 11/05/2021 Page 5 of 7

13. DISPOSAL CONSIDERATIONS

Waste Residues	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product container.
Product	Users should review their operations in terms of the applicable federal/national or
Containers	local regulations and consult with appropriate regulatory agencies if necessary
	before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

14. TRANSPORTATION INFORMATION

US DOT	UN1206, Heptanes, 3, pg II
TDG	UN1206, HEPTANES, 3, pg II
IMDG	UN1206, HEPTANES, 3, pg II
Marine Pollutant	No
IATA/ICAO	UN1206, Heptanes, 3, pg II

15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA inventory.
DSCL (EEC)	All ingredients are listed on the DSCL inventory.
California Proposition 65	Not Listed
SARA 302	Not Listed
SARA 304	Not Listed
SARA 311	Heptane
SARA 312	Heptane
SARA 313	Not Listed
WHMIS Canada	CLASS B-2: Flammable liquid with a flash point lower than 37.8°C (100°F).
	CLASS D-2B: Material causing other toxic effects (TOXIC).

Revised on 11/05/2021 Page 6 of 7

16. OTHER INFORMATION

Revision	Date
Revision 1	07-23-2012
Revision 2	11-05-2021

Disclaimer: ChemPure Brand Chemicals ("ChemPure") believes that the information herein is factual but is not intended to be all inclusive. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Because safety standards and regulations are subject to change and because ChemPure has no continuing control over the material, those handling, storing or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state and local law. ChemPure MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE.

Revised on 11/05/2021 Page 7 of 7